


# Two-Level Type Theory

Nicolai Kraus


12 March 2025,

9th Southern and Midlands Logic Seminar,  
Birmingham


# Field: MLTT-style type theories




Coq/Rocq



Arend




# Two-Level Type Theory (2LTT)



“A type theory sitting in another type theory”

# Two-Level Type Theory (2LTT)



“A type theory sitting in another type theory”

... ok, but why?



Early instance of 2LTT:

## **Voevodsky's HTS (Homotopy Type System), 2013**

what: HoTT, with the ability to reason about judgmental equalities

why: We want an internal theory of higher categories, via semisimplicial types



Early instance of 2LTT:

## Voevodsky's HTS (Homotopy Type System), 2013

what: HoTT, with the ability to reason about judgmental equalities

why: We want an internal theory of higher categories, via semisimplicial types

...ok, better explanation:

something doesn't type-check, but we want it to type-check!

refl :  $2 + 1 = 1 + 2$

refl :  $5 + 1 = 1 + 5$

refl :  $843 + 1 = 1 + 843$



Early instance of 2LTT:

## Voevodsky's HTS (Homotopy Type System), 2013

what: HoTT, with the ability to reason about judgmental equalities

why: We want an internal theory of higher categories, via semisimplicial types

...ok, better explanation:

something doesn't type-check, but we want it to type-check!

refl : 2 + 1 = 1 + 2

~~refl : {n : Nat} → n + 1 = 1 + n~~

refl : 5 + 1 = 1 + 5

refl : 843 + 1 = 1 + 843



Early instance of 2LTT:

## Voevodsky's HTS (Homotopy Type System), 2013

what: HoTT, with the ability to reason about judgmental equalities

why: We want an internal theory of higher categories, via semisimplicial types

...ok, better explanation:

something doesn't type-check, but we want it to type-check!


$\text{refl} : 2 + 1 = 1 + 2$

~~$\text{refl} : \{n : \text{Nat}\} \rightarrow n + 1 = 1 + n$~~

$\text{refl} : 5 + 1 = 1 + 5$

What if:

$\text{refl} : 843 + 1 = 1 + 843$







Early instance of 2LTT:

**Voevodsky's HTS (Homotopy Type System), 2013**

Motivation: "Semisimplicial types"

Problem: construct a type of Reedy fibrant  
contravariant functors  $\Delta_+ \rightarrow \text{Type}$

$A_0 : \text{Type}$

$A_1 : A_0 \rightarrow A_0 \rightarrow \text{Type}$

$A_2 : (x\ y\ z : A_0) \rightarrow A_1\ x\ y \rightarrow A_1\ x\ z \rightarrow A_1\ y\ z \rightarrow \text{Type}$

$A_3 : \dots$

Goal: Write down a function  $S : \mathbb{N} \rightarrow \text{Type}_1$

such that  $S(n) \simeq$  type of the tuple  $(A_0, A_1, A_2, \dots, A_n)$ .

We can only write down an expression  $S(x)$  such that  $S(n)$  is correct for *external*  $n$ .



Early instance of 2LTT:

**Voevodsky's HTS (Homotopy Type System), 2013**




Early instance of 2LTT:

## Voevodsky's HTS (Homotopy Type System), 2013

HTS: HoTT extended with:

- “external/strict natural numbers” type
- “external/strict equality”
- ... and the infrastructure to make this work



Axiom of HTS:

$$\mathbb{N}^s \equiv \mathbb{N}$$

(justified by sSet model)

=> Problem solved.




Capriotti's insight:

Without such axioms, we get conservativity.

More than an analogy:

$\text{yoneda} : \mathcal{C} \rightarrow [\mathcal{C}^{\text{op}}, \text{Set}]$



Any type theory extends to a two-level type theory.

Details: Annenkov-Capriotti-Kraus-Sattler, *Two-level type theory and applications*.

# Definition of general 2LTT

An instance of two-level type theory consists of:

- \* a category **Con** of *contexts*;
- \* **Ty<sup>i</sup>** and **Tm<sup>i</sup>** such that  $(\text{Con}, \text{Ty}^i, \text{Tm}^i)$  forms a cwf  
(the “inner/fibrant level”)
- \* **Ty<sup>s</sup>** and **Tm<sup>s</sup>** such that  $(\text{Con}, \text{Ty}^s, \text{Tm}^s)$  forms a cwf  
(the “outer/strict/exo level”)
- \* a conversion morphism **c** from the inner to the outer theory,  
s.t.:
  - **c** is the identity on contexts
  - **c** preserves context extension  
(but not necessarily type formers!)

# Useful special case of 2LTT



A type theory that has lots of type formers:

$\Pi$  ,  $\Sigma$  ,  $1$  ,  $0$  ,  $+$  ,  $=$  ,  $\mathbb{N}$  , higher inductive types , univalent universes

$\Pi$  ,  $\Sigma$  ,  $1$  ,  $0$  ,  $+$  ,  $=$  ,  $\mathbb{N}$  , inductive types , universes , equality reflection  
(or UIP & funext)

# Useful special case of 2LTT



A type theory that has lots of type formers:

$\Pi$  ,  $\Sigma$  ,  $1$  ,  $0$  ,  $+$  ,  $=$  ,  $\mathbb{N}$  , higher inductive types , univalent universes

|||

$\Pi$  ,  $\Sigma$  ,  $1$  ,  $0$  ,  $+$  ,  $=$  ,  $\mathbb{N}$  , inductive types , universes , equality reflection  
(or UIP & funext)

# Useful special case of 2LTT



Fibrant types:  $\Pi$ ,  $\Sigma$ ,  $1$ ,  $0$ ,  $+$ ,  $=$ ,  $\mathbb{N}$ , HITs, univalent universes;

Strict types:  $0^s$ ,  $+^s$ ,  $=^s$ ,  $\mathbb{N}^s$ , strict universes.

Rules:  $=$  only works for fibrant types,  $=^s$  works for everything.

Induction principles of fibrant types can only eliminate into fibrant types.

Example:  $x =^s y \rightarrow x = y$  but not vice versa.

$\mathbb{N}^s \rightarrow \mathbb{N}$  but not vice versa.

$A +^s B \rightarrow A + B$  but not vice versa.



# Useful special case of 2LTT



Fibrant types:  $\Pi$ ,  $\Sigma$ ,  $1$ ,  $0$ ,  $+$ ,  $=$ ,  $\mathbb{N}$ , HITs, univalent universes;

Strict types:  $0^s$ ,  $+^s$ ,  $=^s$ ,  $\mathbb{N}^s$ , strict universes.

Voevodsky's HTS is the special case with the assumptions  $\mathbb{N}^s \equiv \mathbb{N}$ ,  $0^s \equiv 0$ ,  $+^s \equiv +$ .

# Example model

Simplicial sets (sSet):

- \* Every simplicial set is a context.
- \* inner/fibrant level: Kan fibrations (cf Kapulkin-Lumsdaine).
- \* outer/strict level: usual presheaf model.

# Applications

- \* Language to formulate new axioms  
e.g. HTS.
- \* Formalise meta-theoretic statements  
e.g. Shulman's Reedy fibrant inverse diagrams,  
e.g. "HoTT can define semisimplicial types up to any externally fixed  $n$ ".
- \* "Template programming"  
e.g. for any strict number  $n$ , we can develop a theory of univalent  $n$ -categories;  
plug in 1, 2, 3, ... to get developments in HoTT.
- \* Staged Compilation with Two-Level Type Theory (ICFP paper by András Kovács).
- \* (conjectural:) factoring a structural extension  $T_1 \rightarrow T_2$  as  $T_1 \rightarrow 2LTT \rightarrow T_2$ , where  
the second step is an axiomatic extension;  
use Agda's `--two-level` flag to work in  $T_2$ .

# Applications

- \* Language to formulate new axioms  
e.g. HTS.
- \* Formalise meta-theoretic statements  
e.g. Shulman's Reedy fibrant inverse diagrams,  
e.g. "HoTT can define semisimplicial types up to any externally fixed  $n$ ".
- \* "Template programming"  
e.g. for any strict number  $n$ , we can develop a theory of univalent  $n$ -categories;  
plug in 1, 2, 3, ... to get developments in HoTT.
- \* Staged Compilation with Two-Level Type Theory (ICFP paper by András Kovács).
- \* (conjectural:) factoring a structural extension  $T_1 \rightarrow T_2$  as  $T_1 \rightarrow 2LTT \rightarrow T_2$ , where  
the second step is an axiomatic extension;  
use Agda's `--two-level` flag to work in  $T_2$ .

**Thanks for your attention!**